

## - LOCAL PUBLIC HEALTH

LOCAL PUBLIC HEALTH FUNDING  
(funding data not available)

## ----- NATALITY -----

TOTAL LIVE BIRTHS			1,202	Birth Order			Births	Percent	Marital Status of Mother			Births	Percent	
Crude Live Birth Rate			12.4	First			474	39	Married			889	74	
General Fertility Rate			57.8	Second			430	36	Not married			313	26	
Live births with reported congenital anomalies			34	2.8%	Third			182	15	Unknown			0	0
					Fourth or higher			116	10					
					Unknown			0	0					
Delivery Type			Births	Percent	First Prenatal Visit			Births	Percent	Education of Mother			Births	Percent
Vaginal after					1st trimester			1,055	88	Elementary or less			11	1
previous cesarean			42	3	2nd trimester			120	10	Some high school			163	14
Forceps			26	2	3rd trimester			18	1	High school			447	37
Other vaginal			920	77	No visits			9	1	Some college			325	27
Primary cesarean			126	10	Unknown			0	0	College graduate			254	21
Repeat cesarean			88	7						Unknown			2	<.5
Other or unknown			0	0										
Birth Weight			Births	Percent	Number of Prenatal Care visits			Births	Percent	Smoking Status of Mother			Births	Percent
<1,500 gm			20	1.7	No visits			9	1	Smoker			251	21
1,500-2,499 gm			72	6.0	1-4 visits			18	1	Nonsmoker			950	79
2,500+ gm			1,110	92.3	5-9 visits			178	15	Unknown			1	<.5
Unknown			0	0.0	10-12 visits			666	55					
					13+ visits			330	27					
					Unknown			1	<.5					

\* - Not reported. Age or race category has less than 5 births

## ----- MORBIDITY -----

## REPORTED\* CASES OF SELECTED DISEASES

Disease	Number
Campylobacter Enteritis	33
Giardiasis	39
Hepatitis Type A	<5
Hepatitis Type B**	0
Hepatitis NANB/C***	0
Legionnaire's	0
Lyme	7
Measles	0
Meningitis, Aseptic	0
Meningitis, Bacterial	<5
Mumps	0
Pertussis	0
Salmonellosis	23
Shigellosis	<5
Tuberculosis	0

\* 1999 provisional data

\*\* Includes all positive HBsAg test results

\*\*\* Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	70
Genital Herpes	26
Gonorrhea	10
Nongonococcal Cervicitis	.
Nongonococcal Urethritis	0
Syphilis	.

## ----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

Compliant	16,811
Non-compliant	81
Percent Compliant	99.5

## ----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

<b>TOTAL DEATHS</b>	898
Crude Death Rate	926

Age	Deaths	Rate
1-4	2	.
5-14	2	.
15-19	7	.
20-34	17	.
35-54	49	171
55-64	84	993
65-74	148	2,146
75-84	270	5,356
85+	311	15,055

Infant

Mortality	Deaths	Rate
Total Infant	8	.
Neonatal	6	.
Postneonatal	2	.
Unknown	.	.

Race of Mother

White	7	.
Black	.	.
Other	1	.
Unknown	.	.

Birth Weight

<1,500 gm	5	.
1,500-2,499 gm	.	.
2,500+ gm	3	.
Unknown	.	.

Perinatal

Mortality	Deaths	Rate
Total Perinatal	11	.
Neonatal	6	.
Fetal	5	.

Selected Underlying Cause	Deaths	Rate
Heart Disease (total)	267	275
Ischemic heart disease	.	.
Cancer (total)	202	208
Trachea/Bronchus/Lung	.	.
Colorectal	30	31
Female Breast	16	.*
Cerebrovascular Disease	76	78
Lower Resp. Disease	.	.
Pneumonia & Influenza	23	24
Injuries	36	37
Motor vehicle	11	.
Diabetes	18	.
Infectious & Parasitic	15	.
Suicide	11	.

\* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	14	.
Other Drugs	11	.
Both Mentioned	1	.

## ----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	Persons Killed
Total Crashes	1,210	15
Alcohol-Related	108	6
With Citation:		
For OWI	74	0
For Speeding	89	0
Motorcyclist	46	1
Bicyclist	28	0
Pedestrian	20	3

## HOSPITALIZATIONS

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Injury-Related: All</b>						<b>Alcohol-Related</b>					
Total	876	9.0	4.8	\$12,217	\$110	Total	379	3.9	3.5	\$3,042	\$12
<18	62	2.6	3.5	\$11,351	\$29	18-44	236	6.4	3.1	\$2,301	\$15
18-44	238	6.4	4.0	\$12,569	\$81	45-64	124	5.7	3.5	\$3,083	\$18
45-64	165	7.6	4.9	\$13,530	\$103	<b>Pneumonia and Influenza</b>					
65+	411	29.4	5.4	\$11,618	\$341	Total	386	4.0	5.1	\$7,700	\$31
<b>Injury: Hip Fracture</b>						<18	38	1.6	2.6	\$3,419	\$5
Total	130	1.3	5.9	\$12,527	\$17	45-64	63	2.9	4.9	\$7,802	\$23
65+	117	8.4	5.9	\$12,438	\$104	65+	254	18.1	5.4	\$5	\$0
<b>Injury: Poisonings</b>						<b>Cerebrovascular Disease</b>					
Total	53	0.5	2.4	\$4,270	\$2	Total	313	3.2	4.5	\$9,351	\$30
18-44	31	0.8	2.1	\$3,758	\$3	45-64	54	2.5	5.0	\$13,016	\$32
<b>Psychiatric</b>						65+	248	17.7	4.3	\$8,321	\$147
Total	806	8.3	8.5	\$5,783	\$48	<b>Chronic Obstructive Pulmonary Disease</b>					
<18	158	6.5	13.3	\$8,453	\$55	Total	189	1.9	4.0	\$5,882	\$11
18-44	410	11.1	6.5	\$4,652	\$51	<18	18	.	.	.	.
45-64	145	6.7	8.8	\$5,461	\$36	18-44	27	0.7	3.6	\$4,574	\$3
65+	93	6.6	8.4	\$6,733	\$45	45-64	42	1.9	3.1	\$5,401	\$10
<b>Coronary Heart Disease</b>						65+	102	7.3	4.7	\$7,006	\$51
Total	693	7.1	3.8	\$18,309	\$131	<b>Drug-Related</b>					
45-64	272	12.5	3.1	\$18,212	\$228	Total	106	1.1	7.5	\$4,434	\$5
65+	399	28.5	4.4	\$18,537	\$528	18-44	79	2.1	5.1	\$3,112	\$7
<b>Malignant Neoplasms (Cancers): All</b>						<b>Total Hospitalizations</b>					
Total	468	4.8	6.2	\$15,636	\$75	Total	12,112	124.9	4.3	\$8,252	\$1,031
18-44	42	1.1	4.6	\$15,414	\$17	<18	2,209	91.4	3.4	\$4,402	\$403
45-64	160	7.4	6.2	\$17,117	\$126	18-44	3,562	96.0	3.4	\$5,857	\$562
65+	257	18.4	6.5	\$14,298	\$262	45-64	2,209	101.8	4.4	\$11,052	\$1,125
<b>Neoplasms: Female Breast (rates for female population)</b>						65+	4,132	295.1	5.4	\$10,877	\$3,210
Total	52	1.0	2.7	\$9,073	\$9	<b>PREVENTABLE HOSPITALIZATIONS*</b>					
<b>Neoplasms: Colo-rectal</b>						Total	1,216	12.5	4.3	\$6,621	\$83
Total	73	0.8	8.6	\$17,416	\$13	<18	115	4.8	2.0	\$2,977	\$14
65+	58	4.1	8.9	\$17,565	\$73	18-44	137	3.7	4.1	\$6,073	\$22
<b>Neoplasms: Lung</b>						45-64	227	10.5	4.2	\$6,769	\$71
Total	42	0.4	6.6	\$18,357	\$8	65+	737	52.6	4.7	\$7,246	\$381
<b>Diabetes</b>						* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 1999 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.					
Total	83	0.9	4.9	\$8,023	\$7						
65+	33	2.4	6.5	\$10,785	\$25						